Product Index

for the
Embedded ePlatform Product Selection Guide

ESIS
Industrial Electronics
Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

Product Index

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

3.5" Industrial Disk Tray	3.5" Industrial Disk Tray	9-15
5.25" Industrial Disk Tray	5.25" Industrial Disk Tray	9-15
Accessories for TREK 700 Series		12-10
ACP-1010MB	Compact 1U Rackmount Chassis for ATX/MicroATX Motherboard with 250W Power Supply	7-28
ACP-1320/1320MB	1U Rackmount Chassis for Full-Size SBC / Motherboard with Dual SATA HDD Trays	7-30
ACP-2000/IPC-602	2U 6-Slot Rackmount Chassis with Front USB and PS/2 Interfaces	7-32
ACP-2010MB/2320MB	2U Rackmount Chassis for ATX/MicroATX Motherboard with Low-Profile Rear Bracket Option	7-34
ACP-4000/IPC-610-H	4U Rackmount Chassis with Visual & Audible Alarm Notification	7-36
ACP-4010/4320	4U Rackmount Chassis with Dual System Support or Dual SAS/SATA HDD Trays	7-38
ACP-4362/4360	4U Rackmount Chassis with6 Hot-Swap SATA Trays for RAID	7-40
ADD2 Cards	PCI Express Based Graphic Expansion Card	9-6
AIMB-210	Intel® ATOM™ Mini-ITX with VGA/LVDS, 6 COM, and Dual LAN	3-4
AIMB-221	AMD Turion™ and Sempron™ Mini-ITX with VGA/LVDS/HDMI, 6 COM, and Dual LAN	3-6
AIMB-252	Intel® Pentium® M/Celeron® M Mini-ITX with Dual LVDS, 5 COM, and Dual LAN	3-8
AIMB-256	Intel® Core™ 2 Duo Mini-ITX with VGA/DVI/LVDS, 4 COM and Dual LAN	3-10
AIMB-258	Intel® Core™ 2 Duo Mini-ITX with VGA/DVI/LVDS, 6 COM,and Dual LAN	3-12
AIMB-262	Intel® LGA775 Core™ 2 Duo Mini-ITX with VGA, 4 COM, and LAN	3-14
AIMB-552	Socket 478 Intel® Pentium® M/Celeron® M MicroATX, VGA/LVDS, 10 COM, & Dual LAN	3-16
AIMB-562 KIOSK	LGA 775 Core™ 2 Duo MicroATX with Dual VGA/LVDS, 10 COM, and LAN	3-18
AIMB-564	Intel® LGA775 Core™ 2 Quad/Core™ 2 Duo/ MicroATX with VGA, PCIe, SW RAID, and LAN	3-20
AIMB-566	Intel® LGA775 Core™ 2 Quad/Core™ 2 Duo MicroATX with VGA/DVI, 2 COM, and LAN	3-22
AIMB-763	Intel® LGA775 Core™ 2 Duo/Pentium® 4/ATX with VGA, 4 COM, SW RAID, and Dual LAN	3-24
AIMB-766	Intel® LGA775 Core™ 2 Quad/Core™ 2 Duo ATX with VGA, 4 COM, and Dual LAN	3-26
AIMB-C600	Economical Desktop Chassis for MicroATX Motherboard	7-10
AIMB-R4104-01A1E	1U Riser Cards	3-29
AIMB-R4301-03A1E	2U Riser Cards	3-29
AIMB-R430P-03A2E	2U Riser Cards	3-29
AIMB-R431F-21A1E	2U Riser Cards	3-29
AIMB-R43PF-21A1E	2U Riser Cards	3-29
AIMB-RP10P-01A1E	1U Riser Cards	3-29
AIMB-RP30P-03A1E	2U Riser Cards	3-29
AIMB-RP3PF-21A1E	2U Riser Cards	3-29
ARK-1310	Cost-effective, Entry-level Automation Box IPC	5-4
ARK-1370	Low Power Consumption Box IPC	5-6
ARK-1380	Space Critical Mainstream Box IPC	5-8
ARK-1382	High Performance Multi-display Box IPC	5-10
ARK-1388	Ultra Compact In-Vehicle Box IPC	5-12

Product Index

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

ARK-3210	High Performance Mobile Intel® Core™ 2 Duo Fanless Box IPC	5-14
ARK-3390	Intel® Core™ 2 Duo Automation Control Embedded Box IPC	5-16
ARK-3399	Compact Intel® Core™ 2 Duo Signage/Embedded Box IPC	5-18
ARK-3400	Cost Effective Intel® Celeron® M Box IPC	5-20
ARK-3420	PCIe Expansion and Dual SATA HDDs Box IPC	5-22
ARK-4153	Expandable PC/104+ Wide Temperature Box IPC	5-24
ARK-4180	Expandable PCI-104 Performance and Wide Temperature Box IPC	5-26
ARK-5280	Fanless, PCI Expansion, Intel® Pentium® M Box IPC	5-28
ARK-6 Series Accessory	ARK-6 Series Accessory	9-15
ARK-6310-3M01E	Fanless Mini-ITX Embedded Computer System	6-8
ARK-6310-3M02E	Fanless Mini-ITX Embedded Computer System	6-8
ARK-6310-3M03E	Fanless Mini-ITXEmbedded Computer System	6-10
ARK-6310-3M04E	Fanless Mini-ITX Embedded Computer System with ATOM Solution	6-12
ARK-6310-6M01E	Fanless Mini-ITXEmbedded Computer System	6-10
ARK-6610/6620	Compact Embedded Chassis for Mini-ITX Motherboard	7-8
ARK-6610-4M01E	Intel® Core™ 2 DuoMini-ITX System with Front I/O & PCI Slot	6-16
ARK-6620-6M02E	Compact Intel® Core™ 2 Duo Mini-ITX System with Front Accessible I/O	6-14
Backplanes Compatible with Half-Size SBCs	Backplanes Compatible with Half-Size SBCs	4-52
BIOS Flash	BIOS Flash, Update and Backup Utility	8-3
Cables	Cables	9-16
CE 5.0 - RISC SOM-ADK-MX31	Complete Windows CE Implementation Package	8-4
CE 6.0 - x86 SOM-4455	Complete Windows CE Implementation Package	8-4
CPU Coolers	CPU Coolers	9-12
Database Solutions	Integrated Solution with Oracle/Microsoft Database	8-6
DVMB-764	16 CH D1 480 FPS MPEG4 Hardware Encoding ATX Main Board with Intel® Q965 Platform	15-2
DVS-355M	Embedded/Mobile Digital Video Platform with Intel® Core™ Duo Mobile Processor	15-5
DVS-500	Industrial Compact Platform for PC Based DVR	15-7
DVS-510	1U Compact Size Digital Video Platform	15-10
EBPC-3500/3500L	Embedded Industrial Chassis for 3.5" SBC	7-4
EBPC-3500L-61SE	Ultra-compact Intel® Atom N270/AMD LX800 Embedded System	6-6
EBPC-3500L-75SE	Ultra-compact Intel® Atom N270/AMD LX800 Embedded System	6-6
EBPC-5250	Embedded Industrial Chassis for 5.25" SBC	7-6
EDGE-300	USB-Type Quad-band EDGE Dongle	8-19
EH-7106	Residential Terminal	16-5
ES-2106/2206	6.5" Open Frame and Rugged Panel Mount Monitor	11-5
ES-2108/2208	8.4" Open Frame and Rugged Panel Mount Monitor	11-7
ES-2110/2210	10.4" Open Frame and Rugged Panel Mount Monitor	11-9

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

ES-2112/2212	12.1" Open Frame and Rugged Panel Mount Monitor	11-11
ES-2115/2215	15" Open Frame and Rugged Panel Mount Monitor	11-13
ES-2117/2217	17" Open Frame and Rugged Panel Mount Monitor	11-15
ES-2119/2219	19" Open Frame and Rugged Panel Mount Monitor	11-17
EVA-X4150	Cost-Effective x86 SoC for Industrial Embedded Platforms	8-8
EVA-X4300	Highly Integrated x86 SoC for Industrial Embedded Platforms	8-10
GPRS-100	Embedded GPRS Modem	8-18
GPS-100	Embedded GPS Module with Patch Antenna	8-16
GPS-101	Low Power and Small Form Factor GPS Module with Patch Antenna	8-16
GPS-102	GPS Module with Dead Reckoning Sensor	8-17
GPS-106	Embedded GPS and GALILEO 50-channel Module	8-17
HSPA-100	Embedded HSDPA Modem	8-20
HSPA-300	USB-Type HSDPA Dongle	8-21
IPC-510	Economical 4U Rackmount Chassis with Front USB and PS/2 Interfaces	7-42
IPC-5120/7120	Desktop/Wallmount Chassis for MicroATX/ATX Motherboard with Front I/O Interfaces	7-11
IPC-5122	Desktop/Wallmount Chassis for MicroATX Motherboard with PS/2 Power Supply	7-13
IPC-6006	6-Slot Card Cage	7-19
IPC-6025	5-slot Desktop/Wallmount Chassis with Scalability for Multi-system Solution	7-22
IPC-610-F	Classical 4U 15-Slot Rackmount Chassis	7-44
IPC-610-L/IPC-611	4U 15-Slot Rackmount Chassis with Front-Accessible Fan	7-46
IPC-622	6U 20-Slot Rackmount Chassis Supporting Quad-System and Redundant Power Supply	7-52
IPC-623	4U 20-Slot Rackmount Chassiswith Multi-System and Front-Accessible Redundant Power Supply	7-48
IPC-630	New Generation 4U 15-Slot Rackmount Chassis	7-50
IPC-644	4-Slot Desktop/Wallmount Chassis for Half-Size SBC	7-18
IPC-6608/6606	8/6-Slot Desktop/Wallmount Chassis with PS/2 and Redundant Power Supply Options	7-24
IPC-6806	6-Slot Desktop/Wallmount Chassis for Full- / Half-Size SBC with 1U Power Supply	7-20
IPC-6908	8-Slot Desktop/Wallmount Chassis with Front Alarm Notification and Redundant Power Supply Option	7-26
IPC-7220	Desktop/Wallmount Chassis for ATX Motherboard	7-15
Keyboards	Keyboards	9-14
MARS-3100R	10.4" Fully-Rugged Industrial Tablet PC	13-2
MARS-3100S	10.4" Semi-Rugged Industrial Tablet PC	13-4
MBPC-641	4-Slot Desktop/Wallmount Chassis for Half-Size SBC	7-17
MIO-3120	Mini PCI Interface to Wireless 802.11 b/g Communication Module	2-81
MIO-3121	Mini PCI to 4 COM Module	2-81
MIO-3130	Mini PCI Interface to Dual LAN Communication Module	2-81
MIO-3131	Mini PCI Interface to Single Giga LAN Communication Module	2-81
MIO-3140	Mini PCI Interface to SATA Storage Module	2-81

Product Index

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

MIO-3150	Mini PCI Interface to Video Capture Module	2-81
MIO-6251	MIO module with 1 slot Mini PCI, Audio MDC	2-52
MIO-6253	4 COMs MIO Module	2-52
MIO-6254	Audio/DVI/TV-Out MIO Module	2-52
MIO-6260	Multi I/O Module with 1 LAN, 2 COM, 4 USB	2-52
PCA-5612	Value Industrial PCI Graphics Cardwith Low Power Consumption	9-1
PCA-5630	Industrial AGP Graphics Cardfor Multimedia Applications	9-2
PCA-5660	Value Industrial PCIe x1 Graphics Card for Multimedia Applications	9-3
PCA-5680	Industrial PCIe x16 Graphics Card for Multimedia Applications	9-4
PCA-5680-59	Industrial PCIe x16 Graphics Card with Dual DVI Outputs	9-5
PCA-6008	Socket 479 Pentium® M SBC with VGA/DVI/Dual GbE	4-21
PCA-6010	LGA775 Core™ 2 Duo SBC with Single GbE and DVI	4-23
PCA-6190-A2	LGA775 Pentium® 4 SBC with VGA/Dual GbE LAN/DVI	4-25
PCA-6194	LGA775 Core™ 2 Quad SBC with VGA/Dual GbE LAN	4-26
PCA-6742	Advantech EVA-X4300, ISA Half-sized SBC with VGA/LCD/LAN/CFC/USB and PC104	4-38
PCA-6775	VIA Mark ISA Half-sized SBC, with VGA/LVDS/TTL/LAN/SSD/USB 2.0	4-40
PCA-6781	Intel ISA Half-sized SBC, ULV Celeron® M, VGA/LVDS/LAN/CFC/USB 2.0	4-42
PCE-3132	Socket M Intel® Core™ 2 Duo Half-sized SHB with PCIe/VGA/LVDS/Dual GbE LAN	4-28
PCE-5020	LGA775 Core™ 2 Duo SHB with VGA/Dual GbE	4-10
PCE-5120-A2	LGA775 Core™ 2 Duo SHB with VGA/Dual GbE/4 COMs	4-12
PCE-5124	LGA775 Core™ 2 Quad SHB with VGA/Dual GbE/6 COM ports	4-14
PCE-5130	Socket M Mobile Core™ 2 Duo SHB with VGA/LVDS/Dual GbEs	4-16
PCE-7210	Dual Socket 604 Intel® Xeon®/LV Xeon® SHB with VGA Dual GbE	4-18
PCE-7214	Dual LGA771 Quad Core Xeon/Xeon LV SHB with VGA Dual GbE	4-19
PCI/ISA Backplanes	PCI/ISA Backplanes	4-48
PCI-6873	AMD Geode™ LX800 PCI Half-sized SBC with VGA/LCD/LVDS/LAN/SATA and SSD	4-30
PCI-6886-A2	Intel® Pentium® M/Celeron® M PCI Half-sized SBC with VGA/LVDS/USB 2.0/SATA and SSD	4-32
PCI-7020	LGA775 Core™ 2 Duo PCI Half-sized SBC with VGA/GbE LAN/SATA/DVI and SSD	4-34
PCI-7030	Intel® ATOM N270, PCI Half-sized SBC with Dual GbE LAN/LVDS/DVI/SATA/6 COM	4-36
PCM-10586-62E	Installation Wiring Kit for PCM-9582/PCM-9587	2-79
PCM-10586-9584E	Installation Wiring Kit for PCM-9584	2-79
PCM-10586-9588E	Installation Wiring Kit for PCM-9588	2-78
PCM-10586-9590E	Installation Wiring Kit for PCM-9590	2-79
PCM-110	1-slot PCI Riser Card for 5.25" Biscuit SBCs	2-80
PCM-120	2-slot PCI Riser Card for 5.25" Biscuit SBCs	2-80
PCM-200	PCI-104 to PCI Bus Module	2-80
PCM-233A	SATA to IDE module for SATA Device	2-53

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

PCM-233B	SATA to IDE (44-pin) Converter Module	2-53
PCM-233C	IDE (44-pin) to SATA Converter Module	2-53
PCM-261	LVDS/TTL to DVI Module	2-80
PCM-3110C	1-slot PCMCIA Module	2-30
PCM-3112	2-slot PCMCIA Module	2-30
PCM-3115	2-slot CardBus PC/104-Plus Module	2-31
PCM-3117	PCI to ISA Bridge Module	2-29
PCM-3342	X86 SoC PC/104 with VGA, LCD, LAN, USB, SATA, CF, PC/104	2-10
PCM-3353	AMD LX800 PC/104-Plus CPU Module	2-12
PCM-3355	AMD LX800 PC/104 CPU Module	2-14
PCM-3372	VIA Eden™ (V4) + CX700 PC/104-Plus CPU Module	2-16
PCM-3375	VIA Mark CoreFusion™ PC/104 Module with VGA/LCD, Ethernet & SSD	2-18
PCM-3380	Intel® Pentium® M PCI-104 CPU Module	2-20
PCM-3386	Intel® Celeron® M PCI-104 CPU Module	2-22
PCM-3614I/3618I	4/8-port RS-232/422/485 PCI-104 Modules	2-26
PCM-3620	USB 2.0/IEEE 1394a PC/104-Plus Module	2-26
PCM-3621	4 SATA PC/104-Plus Module	2-26
PCM-3641I/3642I	4/8-port RS-232 PCI-104 Modules	2-26
PCM-3643	4/8 RS-232 COM Port Module	2-27
PCM-3644	RS-232/422/485 COM Port Module	2-27
PCM-3663	Twin 10/100 Mbps LAN Module	2-27
PCM-3665	Dual GbE Module	2-27
PCM-3718H/HG/HO	100 kS/s, 12-bit, 16-ch PC/104 Multifunction Modules	2-28
PCM-3730	16-ch Isolated Digital I/O PC/104 Module	2-28
PCM-3753I	96-ch Digital I/O PCI-104 Module	2-28
PCM-3761I	8-ch Relay and 8-ch Isolated Digital Input PCI-104 Module	2-28
PCM-3835	IDE Flash Disk Module/CompactFlash Card	2-29
PCM-3836	IDE Flash Disk Module/CompactFlash Card	2-29
PCM-3910	DC to DC Power Supply PC/104-plus Module	2-29
PCM-4153	AMD LX800 PC/104-Plus Module, w/ Onboard Memory/Flash and Wide Temperature Range	2-24
PCM-4373	AMD LX800 EPIC SBC with Dual LAN/ LVDS/ TTL/ VGA/ 6 COM/ 2 SATA	2-54
PCM-4380	Intel® Pentium® M EPIC SBC with VGA/ LVDS/ Dual LAN	2-56
PCM-4381	Intel® Pentium® M EPIC SBC with VGA/ 2 LVDS/ Dual Giga LAN	2-58
PCM-4386	Intel Celeron® M EPIC SBC with VGA/ LVDS/ Dual LAN/ PC104 Plus	2-60
PCM-4390	Intel® Core™ Duo EPIC SBC with LVDS/ VGA/ 2 GbE LAN/ 8 GPIO/ 2 SATA	2-62
PCM-9342	X86 SoC 3.5" SBC with VGA, LCD, LAN, USB, SATA, CF, PC/104	2-32
PCM-9361	3.5" Biscuit with Intel® Atom N270/VGA, LVDS, TTL, LAN, USB, SATA, SSD	2-34

Product Index

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

PCM-9375	3.5" SBC w/ AMD LX800, VGA, LVDS, LCD	2-36
PCM-9377	3.5" SBC with VIA Mark, VGA/ LCD/ LVDS/ LAN/ USB	2-38
PCM-9380	3.5" SBC with Intel® Pentium® M, VGA, LVDS, LAN, USB, MIO	2-40
PCM-9381	3.5" SBC with Intel® Pentium® M, VGA, LVDS, DVI, LAN, USB	2-42
PCM-9382	3.5" Biscuit with Intel® Core™ 2 Duo/VGA, LVDS, LAN, USB, SATA, SSD	2-44
PCM-9386	3.5" SBC with Intel® ULV Celeron® M, VGA, LVDS, LAN, USB, MIO	2-46
PCM-9387	3.5" SBC with Intel® ULV Celeron® M, VGA, LVDS, DVI, LAN, USB	2-48
PCM-9388	3.5" SBC with Intel® Celeron® M, VGA, LCD, LAN , USB, ISA	2-50
PCM-9581	Intel® Pentium® M Processor 5.25" SBC with LAN/LVDS/VGA/Audio	2-64
PCM-9582	Intel® Pentium® M EBX SBC with LAN/ LVDS/ DVI/ VGA/ Audio	2-66
PCM-9584	Intel® Pentium® M EBX SBC with Audio/VGA/ 2 LVDS/ 2 GbE LAN	2-68
PCM-9586	Intel® Celeron® M Processor 5.25" SBC with LAN/LVDS/Audio	2-70
PCM-9587	Intel® Celeron® M Processor EBX SBC with LAN/ LVDS/ DVI/ VGA/ Audio	2-72
PCM-9588	Intel® Celeron® M EBX SBC with DVI/ TTL/ VGA/ LVDS/ LAN/ 6 COM/ 2 SATA/ 6 USB2.0	2-74
PCM-9590	Intel® Core™ 2 Duo EBX SBC withVGA/ LVDS /Dual GbE LAN/ Audio/ PCI-104	2-76
PICMG1.3 Full-Size SHB Mainstream Backplanes	Compatible with PCE-5000 Series System Host Board	4-46
PICMG1.3 Full-Size SHB Server Grade Backplanes	Compatible with PCE-7000 Series System Host Board	4-44
PIT-1702	Patient Infotainment Terminal	16-1
POI-1501	Residential Terminal	16-3
Power Supplies	Redundant Power Supplies	9-9
Power Supplies	PS/2 Power Supplies	9-10
PPC Installation Accessories		10-23
PPC-125T	12" Panel PC with Intel® Core™ 2 Duo Processor	10-3
PPC-154T	15" Panel PC Panel PC with Intel® Pentium® 4 Processor	10-5
PPC-155T	15" Panel PC with Intel® Pentium®/Celeron® M Processor	10-7
PPC-174T	17" Panel PC with Intel® Pentium® 4 Processor	10-11
PPC-175T	17" Panel PC with Intel® Pentium®/Celeron® M Processor	10-13
PPC-L106T	10.4" Fanless Panel PC with AMD Geode™ LX 800 (500 MHz) Processor	10-17
PPC-L127T	12.1" Fanless Panel PC with Intel® Celeron® M Processor	10-19
PPC-L156T	15" Fanless Panel PC with Intel Celeron M® Pentium M® Processor	10-21
PPC-L61T	6.5" Fanless Panel PC with AMD Geode™ LX800 Processor	10-15
PPC-S155T	15" UltraSlim™ Panel PC with Intel® Pentium®/Celeron® M Processor	10-9
QNX Evaluation Kit	Complete QNX Implementation Package	8-6
Slide Rail	1U & 2U Rackmount Slide Rail	9-15
SNMP-1000-B	Intelligent SNMP/HTTP System Manager	9-7
Software Protection	Secure Your Valuable Software	8-3

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

SOM-4430	Advantech X86 SoC ETX CPU Module	1-4
SOM-4455	AMD Geode™ LX800 ETX CPU Module	1-6
SOM-4481	Intel® Pentium® M, 855GME ETX CPU Module	1-8
SOM-4486	Intel® Celeron® M, 852GM ETX CPU Module	1-10
SOM-4487	Intel® Pentium® M, 915GME/910GMLE ETX CPU Module	1-12
SOM-4780	Intel® Core™ 2 Duo, 945GME XTX CPU Module	1-14
SOM-5761	Intel® Atom™ N270 COM-Express CPU Module	1-16
SOM-5780	Intel® Pentium® M, 915GME COM-Express CPU Module	1-18
SOM-5781	AMD M690E COM-Express CPU Module	1-20
SOM-5782	Intel® Core™ 2 Duo, 945GME COM-Express CPU Module	1-22
SOM-5786	Intel® Core™ 2 Duo GME965 COM-Express CPU Module	1-24
SOM-6760	Intel® Atom™ SCH US15W COM-Micro CPU Module	1-26
SOM-A2709	COM with Marvell XScale PXA270 Processor + Windows® Embedded CE 5.0	1-32
SOM-AMX31	COM with Freescale i.MX31 Processor + Windows CE 5.0	1-34
SOM-DB4700	ETX/XTX Development Board	1-28
SOM-DB5700	COM-Express Development Board	1-30
SQF-P10	Advantech Industrial CompactFlash	8-22
SQF-PCE	Advantech Industrial PCI-E Mini CEM Cards	8-23
SQF-UDM	Advantech Industrial USB DOM	8-24
STG-UCP	Industrial bNAND USB Chip	8-25
STG-UDG	Industrial bNAND USB Dongle	8-25
STG-UDM	Industrial bNAND USB DOM	8-24
SUSI V3.0	A Bridge to Simplify and Enhance H/W & S/W Application Implementation Efficiency	8-7
SYS-1U1320-4A02	1U Intel® Core™ 2 Quad ATX System with Two SATA HDD Trays	6-30
SYS-2U2000-4S02	Intel® Core™ 2 Duo 2U SBC System with Four 32-bit PCI Slots	6-32
SYS-2U2010-4A01	2U Intel® Core™ 2 Quad ATX System with Low-Profile Rear Bracket Option	6-34
SYS-2U2320-4U01	Intel® Core™ 2 Duo 2U Micro-ATX System with One PCIe x16 & Two PCI Slots	6-36
SYS-4U4000-4A03	4U Intel® Core™ 2 Quad ATX/SBC System with Intelligent Alarm Notification	6-38
SYS-4U4000-4A03	4U Intel® Core™ 2 Quad ATX/SBC System with Dual SATA HDD Trays	6-40
SYS-4U4000-4S02	6-384U Intel® Core™ 2 Quad ATX/SBC System with Intelligent Alarm Notification	6-38
SYS-4U4000-4S02	4U Intel® Core™ 2 Quad ATX/SBC System with Dual SATA HDD Trays	6-40
SYS-4U4362-4A03	4U Intel® Core™ 2 Quad ATX System with 6 Hot-Swap SATA Trays for RAID	6-42
SYS-4U510-4A01E	4U Intel® Core™ 2 Duo ATX System with Front HDD Bays & PCIe x16 Slot	6-44
SYS-4U610-4A02	4U Intel® Core™ 2 Quad ATX / Core 2 Duo SBC System	6-46
SYS-4U610-4S01	4U Intel® Core™ 2 Quad ATX / Core 2 Duo SBC System	6-46
SYS-4U630-4A01	Intel® Core™ 2 Duo 4U ATX System with PCIe x16, PCIe x1 & 5 PCI Slots	6-48
SYS-4W5120-4U01E	Intel® Core™ 2 Duo MicroATX System with Front-Accessible I/O	6-18

Product Index

Esis Pty Ltd
Ph 02 9481 7420
Fax 02 9481 7267
www.esis.com.au

SYS-4W5122-4U01	Intel® Core™ 2 Duo MicroATX System with PS/2 Power Supply	6-20
SYS-6W6606-4S01	6-slot Intel® Core™ 2 Duo PICMG 1.0 SBC System	6-24
SYS-6W6806-3H01	6-slot Intel® Core™ 2 Duo PICMG 1.3 Half-size SBC System	6-22
SYS-7W7220-4A02	Intel® Core™ 2 Quad ATX Desktop System with Front Drive Bays	6-28
SYS-8W6608-4S02	Wallmount Intel® Core™ 2 Duo SBC System with 4 PCI & 2 ISA Slots	6-26
TREK-305R	5.7" Display Solution for Vehicle Applications	12-2
TREK-743	7" Vehicle Mounted Computer with AMD LX800 Processor	12-4
TREK-775	10.4" Vehicle Mounted Computer with Pentium® LV M/ ULV Celeron® M Processor	12-6
TREK-776	12.1" Vehicle Mounted Computer with Pentium® LV M/ ULV Celeron® M Processor	12-8
VITA-350P	Mobile Data Terminal	14-2
WiFi-102	MINI PCI 802.11b/g Card	8-12
WiFi-103	MINI PCI 802.11 a/b/g Card	8-13
WiFi-300	USB-type IEEE 802.11b/g WiFi Dongle	8-14
WiFi-301	USB-Type IEEE 802.11b/g WiFi Dongle with External Antenna	8-15
XPe Evaluation Kit	Complete Windows® XP Embedded w/SP2 Implementation Package	8-5