

GMW90R CO2, Humidity and Temperature Transmitter - BACnet/Modbus

		1	2	3	4	5	6	7	8	9	10	11	12
Vaisala Carbocap® CO2, Humidity and Temperature Transmitter		GMW90R	5	0	A	A	A					A	Price
6	Display and colour	Standard White (RAL9003, solid cover)											
		Standard White (RAL9003, display cover)											
		<i>Black (RAL9005, solid cover)</i>											
		<i>Black (RAL9005, display cover)</i>											
		<i>Grey (RAL7035, solid cover)</i>											
		<i>Grey (RAL7035, display cover)</i>											
		<i>Light Ivory (RAL1015, solid cover)</i>											
		<i>Light Ivory (RAL1015, display cover)</i>											
		No logo, standard White (RAL9003, solid cover)											
		No logo, standard White (RAL9003, display cover)											
		Indicator cover (RAL9003, display and CO2 indicators)											
7	Units	Metric											
		Non metric											
8	Display configuration	Default (T, RH, CO2)											
		T, h, CO2	Entalphy										
		T, Td, CO2	Dewpoint										
		T, A, CO2	Absolute humidity										
		T, Tw, CO2	Wetbulb temperature										
		T, dTd, CO2	Dewpoint depression										
		T, X, CO2	Mixing ratio										
9	Elevation setting	Standard (sea level)											
		Custom	Define	m (ft)									
10	CO2 indicator levels	None											
		Standard	(800,1200 ppm)										
		Custom	Define	Yellow	Red	ppm							
12	Quick reference guide	No manual											
		Multilingual for analog devices											
		Multilingual for digital devices											

Accessories:

- HTM10SP Humidity and temperature module
- GM10SP CO2 measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in italic are available at an extra cost

GMW90R 5 0 A A A 1 A A 0 0 A 1



www.esis.com.au
Ph 02 9481 7420
Fax 02 9481 7267
esis.enq@esis.com.au

Industrial Electronics

