

Industrial Single Board Computer

Full Size ATX Motherboard AS-C74

Support 2nd Generation Intel® Core™ i7/ i5/ i3/
Pentium/Xeon® Desktop Processor
Onboard VGA, DVI, HD Audio, Serial ATA,
Intel® Gigabit LAN



Form Factor	Full Size ATX motherboard
CPU	Supports 2nd Generation Intel® Core™ i7/ i5/ i3/ Pentium/Xeon® Desktop Processor Package type: FCLGA1155
Memory	Four DDR3 1066/1333 DIMM up to 32 GB
Chipset	Intel® BD82Q67 PCH
Real Time Clock	Chipset integrated RTC with onboard lithium battery
Watchdog Timer	Generates a system reset with internal timer for 1min/s ~ 255min/s
Power Management	ACPI 1.0 compliant, supports power saving mode
Serial ATA Interface	Intel® Q67 PCH built-in 4 x Serial ATAII interface up to 300MB/s & 2 x Serial ATAIII interface up to 600MB/s Support RAID 0, 1, 5, 10 and Intel Rapid Storage Technology.
VGA Interface	Intel® Clear Video integrated HD Graphics Technology
DVI Interface	Onboard Chrontel CH7318C DVI Transmitter for DVI interface
Audio Interface	Intel® integrated Q67 with Realtek ALC888 HD Audio.
LAN Interface	Two Intel® 82574L Gigabit LAN.
GPIO interface	Onboard programmable 8-bit Digital I/O interface.
Extended Interface	One PCIE X 16 slot, One PCIE X 4, One PCIE Mini card, One Mini PCI socket, Five PCI slot.
Internal I/O Port	1 x RS232/422/485, 1 x GPIO port, 1 x CDIN connector, 1 x Audio connector, 1 x IrDA connector, 1 x SMBUS connector, 2 x Serial Port and 8 x USB ports, 1 x Parallel port.
External I/O Port	1 x PS/2 Keyboard/Mouse Port, 2 x RJ45 LAN ports, 1 x DB15 VGA port, 4 x USB2.0 ports and 3 x Serial Port.
External Audio	Line-in, MIC-in, Front, Rear, Center/Subwoofer and Optical SPDIF outputs.
Power Requirement	Standard 24-pin ATX power supply (20-pin is compatible) Standard 8-pin 12V power Input connector (4-pin is compatible)
Dimension	307mm x 244mm (L x W)
Temperature	Operating within 0~60 centigrade Storage within -20~85 centigrade

Ordering Code

AS-C74 Onboard VGA, DVI, 2 x Gigabit LAN, 10 x USB2.0, 6 x serial Port, 6 x SATA, 1 x IrDA
Realtek HD 5.1CH Audio, Mini-PCI, PCI, PCIE Minicard, PCIE x16.

For further product information please visit the website at <http://www.commell.com.tw>

