

Eutech Code	Ordering Code	Product Description	Price Ex-GST
-------------	---------------	---------------------	--------------

## Testers pH/EC/TDS/Salinity/ORP

### Expert pH with Dual Display – NEW PRODUCT

This unit replaces the EcopHTest2

EXPERTPH	EXPERTPH	Waterproof Expert pH pocket tester with ATC and temperature display, 3 point Calibration, $\pm 0.1$ pH accuracy	\$ 119.00
----------	----------	---	-----------

### Expert CTS with Dual Display – NEW PRODUCT

This unit replaces the EcoECTestHigh/Low, EcoTDSTestHigh/Low & EcoSaltTest

EXPERTCTS	EXPERTCTS	Waterproof Expert CTS Conductivity/TDS/salinity pocket tester with ATC and temperature display (0.00 -20.00mS/cm; 0.00 - 20.00 ppt; 0.0 - 10.0 ppt)	\$ 119.00
-----------	-----------	---	-----------

### EcopHTest2 with Single Display – Superseded by EXPERTPH (above)

01X460902	ECOPHTEST2	Waterproof EcopHTestr2 with ATC; 3 point Calibration	\$ 141.00
-----------	------------	--	-----------

### EcoTestr EC Low and High – Superseded by EXPERTCTS (above)

01X477101	ECOECTESTLOW	Waterproof EcoECTestLow with ATC, 1 point Calibration	\$ 141.00
01X477102	ECOECTESTHIGH	Waterproof EcoECTestHigh with ATC; 1 point Calibration	\$ 141.00

### EcoTestr TDS Low and High – Superseded by EXPERTCTS (above)

01X477103	ECOTDSTESTLOW	Waterproof EcoTDSTestrLow with ATC, 1 point Calibration	\$ 141.00
01X477104	ECOTDSTESTHIGH	Waterproof EcoTDSTestrHigh with ATC, 1 point Calibration	\$ 141.00

### EcoTestr Salt – Superseded by EXPERTCTS (above)

01X477105	ECOSALTTEST	Waterproof EcoTestr Salt with ATC, 1 point Calibration	\$ 160.00
-----------	-------------	--	-----------

### pHTestr 10, 20, 30, 10BNC, pHSppear with Large Dual Display

01X366901	PHTEST10	Waterproof pHTestr 10 with ATC; $\pm 0.1$ pH accuracy	\$ 191.00
01X366902	PHTEST20	Waterproof pHTestr 20 with ATC; $\pm 0.01$ pH accuracy	\$ 209.00
01X366903	PHTEST30	Waterproof pHTestr 30 with ATC and Temperature Readout; $\pm 0.01$ pH resolution	\$ 238.00
01X366904	PHTEST10BNC	Waterproof pHTestr 10 BNC with MTC; BNC connector sensor; $\pm 0.01$ pH resolution (meter only – electrode to be ordered separately)	\$ 215.00
01X366920	PHSPEAR	Waterproof pHSppear Testr with MTC; double-junction spear-tip electrode; $\pm 0.01$ pH accuracy	\$ 590.00

### ORPTestr 10, 10BNC with Large Dual Display

01X366909	ORPTEST10	Waterproof ORPTestr 10 Large Dual Display (-999 to +1000 mV)	\$ 352.00
01X366916	ORPTEST10BNC	Waterproof ORPTestr 10 Large Dual Display; BNC connector; (-999 to +1000 mV); (meter only – electrode to be ordered separately)	\$ 258.00

### ECTestr11 Dual Range with Large Dual Display

01X377228	ECTEST11	Waterproof ECTestr 11 Dual Range Testr with ATC & temperature display (0 - 2000 $\mu$ S/cm; 0 -20.00 mS/cm)	\$ 175.00
-----------	----------	---	-----------

### TDSTestr11 Dual Range with Large Dual Display

01X377230	TDSTEST11	Waterproof TDSTestr 11 Dual Range Testr with ATC & temperature display (0 - 1000 ppm; 0 -10.00 ppt)	\$ 175.00
-----------	-----------	---	-----------

### SaltTestr11 with Large Dual Display

01X377232	SALTTEST11	Waterproof SaltTestr 11 Testr with ATC & temperature display (0 - 10.00 ppt)	\$ 175.00
-----------	------------	--	-----------

### ECTestr11+ Multi Range with Large Dual Display

Eutech Code	Ordering Code	Product Description	Price Ex-GST
01X377229	<b>ECTEST11PLS</b>	Waterproof ECTestr 11+ Multi Range Testr with ATC & temperature display (0 - 200.0 µS/cm; 0 - 2000 µS/cm; 0 - 20.00 mS/cm)	\$ 238.00

### TDSTestr11+ Multi Range with Large Dual Display

01X377231	<b>TDSTEST11PLS</b>	Waterproof TDSTestr 11+ Multi Range Testr with ATC & temperature display (0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt)	\$ 238.00
-----------	---------------------	---	-----------

### Multi-Parameter PCTestr 35, PTTestr 35, PCSTestr 35 with Large Dual Display

01X441504	<b>PCTEST35</b>	Waterproof PCTestr 35 pH/Conductivity/Temp Testr with ATC; (±0.1 pH resolution; 0 - 2000 µS/cm; 0 - 20.00 mS/cm)	\$ 253.00
01X441505	<b>PTTEST35</b>	Waterproof PTTestr 35 pH/TDS/Temp Testr with ATC; (±0.1 pH resolution; 0 - 1000 ppm; 0 - 10.00 ppt)	\$ 253.00
01X441506	<b>PCSTEST35</b>	Waterproof PCSTestr 35 pH/Conductivity/TDS/Salinity/Temp Testr with ATC; (±0.01 pH resolution; 0 - 200.0 µS/cm; 0 - 2000 µS/cm; 0 - 20.00 mS/cm; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 1.00%)	\$ 308.00

### Replacement Sensors

01X097108	<b>PCSENSOR</b>	Replacement pH/Conductivity/Temp Sensor for PC Testr 35, PT Testr 35, PCS Testr 35	\$ 110.00
01X106702	<b>PHSENSOR02</b>	Replacement Single Junction Sensor for pH Testr 1 and 2	\$ 74.00
01X106709	<b>PHSENSOR03DJ</b>	Replacement Double Junction Sensor for pH Testr 10, 20, 30	\$ 106.00
01X106711	<b>ORPSENSORDJ</b>	Replacement Double Junction Sensor for ORP Testr 10	\$ 140.00
01X106720	<b>PHSENSORBNC</b>	Replacement BNC Connector Sensor for pH Testr 10BNC and ORP Testr 10BNC	\$ 73.00
01X106724	<b>PHSENSOR04</b>	Replacement Double Junction Spear-tip Electrode for pH Spear	\$ 429.00
01X229713	<b>ECTDSSENSOR</b>	Replacement Sensor for EC Testr, ECTestr10, TDS Testr, TDSTestr10 Series, ECTestr11, TDSTestr11 & all Salt Testr Series, 2-pin type	\$ 67.00
01X229714	<b>ECTDSSENSORPLUS</b>	Replacement Sensor for ECTestr10+,TDSTestr10+ Series & ECTestr11+, TDSTestr11+ , Cup type	\$ 84.00

## PORTABLE METERS

### Eutech pH 6+, pH 5+, Ion 6+

01X244911	<b>ECPH501PLUS</b>	pH 5+ pH Meter, Rubber Armour/Stand, and ATC probe	\$ 467.00
01X244912	<b>ECPH502PLUSK</b>	pH 5+ pH Meter, Rubber Armour/Stand, single junction pH electrode ECFC7252101B, ATC probe & pH carrying kit set	\$ 618.00
01X244913	<b>ECPH503PLUSK</b>	pH 5+ pH Meter, Rubber Armour/Stand, "3-in-1" pH/Temperature combi electrode ECFC7352901B & pH carrying kit set	\$ 669.00
01X245025	<b>ECPH601PLUS</b>	pH 6+ pH/ORP Meter, Rubber Armour/Stand, and ATC probe	\$ 539.00
01X245026	<b>ECPH602PLUSK</b>	pH 6+ pH/ORP Meter, Rubber Armour/Stand, single junction pH electrode ECFC7252101B, ATC probe & pH carrying kit set	\$ 690.00
01X245027	<b>ECPH603PLUSK</b>	pH 6+ pH/ORP Meter, Rubber Armour/Stand, "3-in-1" pH/Temperature combi electrode ECFC7352901B & pH carrying kit set	\$ 739.00
01X245028	<b>ECPH601PLUSK</b>	pH 6+ pH/ORP Meter, Rubber Armour/Stand, ATC probe & pH carrying kit set	\$ 624.00
01X256409	<b>ECION601PLUS</b>	Ion 6+ pH/ORP Meter, Rubber Armour/Stand, ATC probe	\$ 752.00
01X256410	<b>ECION602PLUSK</b>	Ion 6+ pH/Ion/ORP Meter, Rubber Armour/Stand, with single junction pH electrode ECFC7252101B, ATC probe & pH carrying kit set	\$ 899.00

### Waterproof Portable pH 150, pH 450

01X651607	<b>ECPHWP15000</b>	pH 150 Meter only	\$ 642.00
01X651608	<b>ECPHWP15002</b>	pH 150 Meter & DJ pH electrode & ATC electrode	\$ 808.00
01X651609	<b>ECPHWP15002K</b>	pH 150 Meter Kit; with double-junction pH electrode and ATC probe, Grip-Clip™ electrode holder, two AA batteries, hard carry case, pH buffers, storage solution, rinse solution	\$ 917.00
01X651628	<b>ECPHWP45000</b>	pH 450 Meter only	\$ 853.00
01X651629	<b>ECPHWP45002</b>	pH 450 Meter & DJ pH electrode & ATC electrode	\$ 954.00
01X651630	<b>ECPHWP45002K</b>	pH 450 Meter Kit; with double-junction pH electrode and ATC probe, Grip-Clip™ electrode holder, two AA batteries, hard carry case, pH buffers, storage solution, rinse solution	\$ 1,018.00

### CyberScan Waterproof Portable pH 620, pH 610, pH 600

01X415104	<b>ECPHWP62001</b>	Waterproof CyberScan pH 620 pH/mV/Ion Meter with ATC probe & DAS software	\$ 1,519.00
01X415107	<b>ECPHWP62042K</b>	Waterproof CyberScan pH 620 pH/mV/Ion Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	\$ 1,846.00

Eutech Code	Ordering Code	Product Description	Price Ex-GST
01X415103	<b>ECPHWP61001</b>	Waterproof CyberScan pH 610 pH/mV Meter with ATC probe & DAS software	\$ 1,197.00
01X415106	<b>ECPHWP61042K</b>	Waterproof CyberScan pH 610 pH/mV Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	\$ 1,447.00
01X415102	<b>ECPHWP60001</b>	Waterproof CyberScan pH 600 pH/mV Meter with ATC probe & DAS software	\$ 1,054.00
01X415105	<b>ECPHWP60042K</b>	Waterproof CyberScan pH 600 pH/mV Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	\$ 1,341.00

## PORTABLE CONDUCTIVITY / TDS / SALINITY METERS

### Eutech COND 6+, TDS 6+, SALT 6+

01X289425	<b>ECCON603PLUSK</b>	COND 6+ Conductivity Meter, Rubber Armour/Stand, electrode CONSEN91B & Conductivity carrying kit set	\$ 763.00
01X289426	<b>ECCON603PLUS</b>	COND 6+ Conductivity Meter, Rubber Armour/Stand, electrode CONSEN91B	\$ 716.00
01X289427	<b>ECTDS603PLUSK</b>	TDS 6+ TDS Meter, Rubber Armour/Stand, electrode CONSEN91B & TDS carrying kit set	\$ 763.00
01X289428	<b>ECTDS603PLUS</b>	TDS 6+ TDS Meter, Rubber Armour/Stand, electrode CONSEN91B	\$ 716.00
01X289429	<b>ECSALT603PLUSK</b>	Salt 6+ Salinity Meter, Rubber Armour/Stand, electrode CONSEN91B & Salinity carrying kit set	\$ 763.00
01X289430	<b>ECSALT603PLUS</b>	Salt 6+ Salinity Meter, Rubber Armour/Stand, electrode CONSEN91B	\$ 716.00

### Waterproof Portable CON 150, CON 450

01X651611	<b>ECCONWP15003</b>	Con 150 Meter & electrode	\$ 826.00
01X651612	<b>ECCONWP15003K</b>	Con 150 Meter Kit	\$ 899.00
01X651632	<b>ECCONWP45003</b>	Con 450 Meter & electrode	\$ 1,092.00
01X651633	<b>ECCONWP45003K</b>	Con 450 Meter Kit	\$ 1,184.00

### CyberScan Waterproof Portable COND 610, CON 600

01X418302	<b>ECCONWP60000</b>	Waterproof CyberScan CON 600 Conductivity/TDS Meter only with DAS software	\$ 1,089.00
01X418303	<b>ECCONWP60003</b>	Waterproof CyberScan CON 600 Conductivity/TDS Meter with 3m cable 4-cell electrode CONSEN9203J & DAS software	\$ 1,469.00
01X418304	<b>ECCONWP60043K</b>	Waterproof CyberScan CON 600 Conductivity/TDS Meter with 3m cable 4-cell electrode CONSEN9203J, DAS software, power adapter & Conductivity/TDS carrying kit set	\$ 1,636.00
01X418305	<b>ECCONWP61000</b>	Waterproof CyberScan CON 610 Conductivity/TDS/Resistivity/Salinity Meter only with DAS software	\$ 1,426.00
01X418306	<b>ECCONWP61003</b>	Waterproof CyberScan CON 610 Conductivity/TDS/Resistivity/Salinity Meter with 3m cable 4-cell electrode CONSEN9203J & DAS software	\$ 1,840.00
01X418307	<b>ECCONWP61043K</b>	Waterproof CyberScan CON 610 Conductivity/TDS/Resistivity/Salinity Meter with 3m cable 4-cell electrode CONSEN9203J, DAS software, power adapter & Conductivity/TDS carrying kit set	\$ 2,015.00

## PORTABLE DISSOLVED OXYGEN METERS

### Eutech DO 6+

01X370113	<b>ECD0602PLUSK</b>	DO 6+ Dissolved Oxygen Meter with 3m cable electrode, 2 assembled membrane cap housing, 1 refilling electrolyte (10mL) & carrying kit set	\$ 1,298.00
01X370114	<b>ECD0601PLUSK</b>	DO 6+ Dissolved Oxygen Meter with 1m cable electrode, 2 assembled membrane cap housing, 1 refilling electrolyte (10mL) & carrying kit set	\$ 1,226.00

### Waterproof Portable DO 450

01X651634	<b>ECDOWP45000</b>	DO 450 Meter only	\$ 826.00
01X651635	<b>ECDOWP45003K</b>	DO 450 Meter Kit	\$ 3,798.00
01X651644	<b>ECDOWP45003</b>	DO 450 Meter with RDO probe	\$ 3,028.00

### Waterproof Portable DO 600

Eutech Code	Ordering Code	Product Description	Price Ex-GST
01X419502	<b>ECDOWP60041K</b>	Waterproof CyberScan DO 600 Dissolved Oxygen Meter with 10 ft cable electrode ECDOHANDYNEW, DAS software, power adapter & carrying kit set	\$ 2,334.00
01X419503	<b>ECDOWP60042K</b>	Waterproof CyberScan DO 600 Dissolved Oxygen Meter with 25 ft cable electrode ECDOHANDY8M, DAS software, power adapter & carrying kit set	\$ 2,485.00

## PORTABLE MULTI-PARAMETER METERS

### Waterproof Portable PC 450, PD 450, PC 650, CD 650, PD 650, PCD 650

01X651636	<b>PCWP450/00</b>	PC 450 Meter only with Grip-Clip.	\$ 1,128
01X651637	<b>PCWP450/03</b>	PC 450 Meter with Combi probe (EC-COMBI03BW).	\$ 1,395
01X651638	<b>PCWP450/03K</b>	PC 450 Meter Combi probe (EC-COMBI03BW) in a carry case containing USB cable and calibration standards.	\$ 1,467
01X651639	<b>PCWP450/04</b>	PC 450 Meter with pH electrode (EC-FC-72522-01B), Conductivity electrode (EC-CONSEN91W) and Grip-Clip.	\$ 1,395
01X651640	<b>PCWP450/04K</b>	PC 450 Meter with pH electrode (EC-FC-72522-01B), Conductivity electrode (EC-CONSEN91W) and Grip-Clip in carry case containing USB cable and calibration standards.	\$ 1,505
01X651641	<b>PDWP450/00</b>	PD 450 Meter only.	\$ 1,599
01X651646	<b>PDWP450/04</b>	PD 450 Meter with pH electrode (EC-DA-93506-03B) & RDO probe (EC-RDO-03M).	\$ 4,363
01X651642	<b>PDWP450/04K</b>	PD 450 Meter with pH electrode (EC-DA-93506-03B) & RDO probe (EC-RDO-3M) in a carry case containing USB cable, RDO stainless steel weight/guard, RDO calibration sleeve and pH buffer solutions.	\$ 4,706
01X430602	<b>ECPCWP65043K</b>	Waterproof CyberScan PC 650 pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity Meter with double junction pH electrode ECF7252203B, 4-cell Conductivity probe CONSEN9203J, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	\$ 2,588.00
01X430702	<b>ECPDWP65043K</b>	Waterproof CyberScan PD 650 pH/ mV/ Ion/ Dissolved Oxygen Meter with double junction pH electrode ECF7252203B, ATC probe ECPHWPTM03J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	\$ 2,936.00
01X430802	<b>ECCDWP65043K</b>	Waterproof CyberScan CD 650 Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with 4-cell Conductivity probe CONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	\$ 3,215.00
01X430902	<b>ECPCDWP65044K</b>	Waterproof CyberScan PCD 650 pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with double junction pH electrode ECF7252203B, 4-cell Conductivity probe CONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	\$ 4,000.00

## BENCHTOP METERS

### Eutech pH 700 / 2700

01X541601	<b>ECPH70040</b>	Eutech pH 700 Meter 100/240 VAC Adapter	\$ 939.00
01X541603	<b>ECPH70040S</b>	Eutech pH 700 Meter With Integral Electrode Holder & 100/240 VAC Adapter	\$ 990.00
01X541605	<b>ECPH70042S</b>	Eutech pH 700 Meter With pH Electrode (ECFC7252101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,036.00
01X541610	<b>ECPH70042GS</b>	Eutech pH 700 Meter With Glass body, open pore pH electrode (EC620131), ATC Probe (PH5TEMB01P) Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,254.00
01X543901	<b>ECPH270040S</b>	Eutech pH 2700 Meter With Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable	\$ 1,424.00
01X543902	<b>ECPH270042GS</b>	Eutech pH 2700 Meter With pH Electrode (ECFG7370101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder, 100/240 VAC Adapter, RS232 cable, & pH Electrode Refill Solution	\$ 1,523.00

### Eutech ION 700 / 2700

01X541609	<b>ECION70040S</b>	Eutech Ion 700 Meter With Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,294.00
01X543903	<b>ECION270040S</b>	Eutech ION 2700 Meter With Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable	\$ 1,669.00
01X543904	<b>ECION270042GS</b>	Eutech ION 2700 Meter With pH Electrode (ECFG7370101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder, 100/240 VAC Adapter, RS232 cable, & pH Electrode Refill Solution	\$ 1,788.00

### Eutech CON 700 / 2700

Eutech Code	Ordering Code	Product Description	Price Ex-GST
01X543401	<b>ECCON70043S</b>	Eutech CON 700 Meter With Conductivity/ATC Probe (CONSEN9501D), Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,300.00
01X543905	<b>ECCON270043S</b>	Eutech CON 2700 Meter With 4-Cell Conductivity Probe (CONSEN9201D), Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable	\$ 1,683.00

### Eutech DO 700 / 2700

01X543501	<b>EEDO70042S</b>	Eutech DO 700 Meter With Dissolved Oxygen/ATC Probe (01X233913), Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,862.00
01X543907	<b>EEDO270042</b>	Eutech DO 2700 Meter With Self-Stirring Dissolved Oxygen / BOD Electrode (EC620SSP), RS232C Cable & 100/240 VAC Adapter, RS232 cable	\$ 3,426.00

### Eutech PC 700 / 2700

01X543601	<b>ECPC70043S</b>	Eutech PC 700 Meter With pH Electrode (ECFC7252101B), Conductivity/ATC Probe (CONSEN9501D), Integral Electrode Holder & 100/240 VAC Adapter	\$ 1,847.00
01X543906	<b>ECPC270043S</b>	Eutech PC 2700 Meter With pH Electrode (ECFG7370101B), Conductivity Electrode (CONSEN9201D), ATC Probe (PH5TEMB01P), Integral Electrode Holder & 100/240 VAC Adapter,	\$ 2,381.00

## ELECTRODES

### ATC Electrodes

01X021804	<b>ECPH5TEM01P</b>	ATC probe (for Ion 6+, pH 6+, pH 5+, pH 110 & pH 11 only); 1m cable	\$ 97.00
01X021807	<b>PHWPTEM01W</b>	ATC Probe (for pH 150/300/310/450, PC 300/450/510), 1m cable	\$ 129.00
01X021818	<b>ECPHWPTEM01J</b>	ATC Probe (for pH 620, 610, 600, PC650, PD650, PCD650 only); 1m cable	\$ 132.00
01X021820	<b>ECPHWPTEM03J</b>	ATC Probe (for pH 620, 610, 600, PC650, PD650, PCD650 only); 3m cable	\$ 149.00
01X210303	<b>PH5TEMB01P</b>	ATC Probe (for Ion 510, pH 510, pH 700, Ion 700, pH 1100, pH 2100, pH 2700, & Ion 2700), 1m cable	\$ 97.00

### pH Electrodes

01X099412	<b>ECFC7252101B</b>	General Purpose Plastic-body Single Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable	\$ 125.00
01X099413	<b>ECFC72521R01B</b>	General Purpose Plastic-body Single Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable & 10mL refilling electrolyte	\$ 155.00
01X099414	<b>ECFC72522R01B</b>	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable & 10mL refilling electrolyte	\$ 180.00
01X099417	<b>ECFC7252201B</b>	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable	\$ 168.00
01X099418	<b>ECFC7252205B</b>	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 5m cable	\$ 242.00
01X099419	<b>ECFC7252202B</b>	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 2m cable	\$ 211.00
01X218972	<b>EC620130</b>	Glass body, combination pH electrode, refillable, open pore (10 mL electrolyte included)	\$ 578.00
01X218973	<b>EC620131</b>	Glass body, combination pH electrode, open pore, gel filled	\$ 322.00
01X218974	<b>EC620132</b>	Plastic body, combination pH electrode, open pore, gel filled	\$ 238.00
01X218975	<b>EC620133</b>	Glass body, combination pH electrode, polymer, spear tip, open pore	\$ 519.00
01X417010	<b>ECFC7252203B</b>	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x110mm, BNC connector, 3m cable	\$ 206.00
93X218808	<b>ECFG4390401B</b>	pH electrode, glass, calomel, refillable, 55 x 4 mm, micro, filling solution & pipet	CALL
93X218810	<b>ECFG6350601B</b>	General purpose glass-body pH electrode. Single-Junction. Comes with 10 mL electrolyte	\$ 308.00
93X218814	<b>ECFG7350401B</b>	General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable & 10mL	\$ 182.00
93X218815	<b>ECFG7351101B</b>	General purpose glass-body pH electrode with sleeve design for faster response in high viscosity solutions, where frequent cleaning of reference is required	\$ 487.00
93X218819	<b>ECFG7370101B</b>	Glass body double junction Ag/AgCl refillable pH electrode, 12 x 110 mm, BNC connector, 1m cable	\$ 373.00
93X218823	<b>ECFG7451901B</b>	Rugged glass-body pH electrode for continuous, long-term use at high temperatures, particularly in strong alkaline solutions. Suitable for photographic chemicals. Gel filled.	\$ 370.00
93X218824	<b>ECFGHGK3F01B</b>	Reinforced Glass-body Refillable pH Electrode, 12x110mm, BNC connector, 1m cable; spear tip	\$ 274.00
93X218828	<b>ECFG6351101B</b>	Glass-body pH electrode for solid or semi-solid samples. Spear Tip	\$ 364.00

Eutech Code	Ordering Code	Product Description	Price Ex-GST
93X218842	<b>ECFG7252001B</b>	General Purpose, Flat-surface, Glass-body Single Junction Refillable pH Combination Electrode, 12x110mm, BNC connector, 1m cable	\$ 427.00
93X218879	<b>ECDA9350603B</b>	Submersible ABS-body Gel-Filled pH Combination Electrode; single annular ceramic junction, BNC connector, 3m cable	\$ 330.00
93X218946	<b>EC620185</b>	Tough variable temperature rugged bulb combination, double junction, refillable pH Electrode	\$ 735.00

#### pH/Conductivity/Temperature Electrodes

01X230205	<b>COMB103BW</b>	pH/Cond/ATC probe for 450 series	\$ 393.00
01X234601	<b>ECCOMBI03M</b>	pH Combination Electrode and 2-Pin Stainless Steel Conductivity Electrode with ATC, 15 cm ABS guard; 3 m cable (PC 10)	\$ 426.00

#### pH/ATC (3-in-1) Electrodes

01X218964	<b>ECFC7352901B</b>	General Purpose Plastic-body "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC connector, 1m cable (for pH 5/6, Ion 6, pH 11/110, pH 510 & pH 1100/2100)	\$ 193.00
01X218995	<b>ECFC7352901W</b>	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 6 pin connector, 1m cable (for pH 150/300/310/450, PC 300/450/510)	\$ 209.00
01X417003	<b>ECFC7352901J</b>	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 8 pin connector, 1m cable (for pH 620, 610, 600, PC650, PD650, PCD650 only)	\$ 202.00
93X218835	<b>ECFE7352801B</b>	General purpose plastic-body "3-in-1" pH/Temperature combination electrode. (for discontinued models – pH 10 / pH 100 / pH 200 / pH 500 / pH 1000 / pH 2000)	\$ 280.00
93X218990	<b>ECFE7372801W</b>	General purpose, double-junction, plastic-body "3-in-1" pH/Temperature combination electrode. (for pH 150/300/310/450, PC 300/450/510)	\$ 229.00

#### ORP (Oxidization Reduction Potential / Redox) Electrodes

01X256612	<b>ECFC7960101B</b>	General Purpose Plastic-body Single Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable	\$ 278.00
01X256613	<b>ECFC7960201B</b>	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable	\$ 325.00
01X256615	<b>ECFC7960205B</b>	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 5m cable	\$ 355.00
93X219103	<b>ECFG7960101B</b>	General purpose glass-body ORP electrode. Comes with 10 mL refilling electrolyte.	\$ 411.00

#### Conductivity/TDS/Salinity Electrodes

01X244701	<b>CONSEN91B</b>	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, BNC connector, 1m cable (for CON 6+, TDS 6+, SALT 6+)	\$ 312.00
01X244702	<b>CONSEN91W</b>	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 1m cable (for CON 11, CON 110, CON 150, CON 400, CON 410, CON 450, CON 510, PC 300, PC 450, PC 510)	\$ 312.00
01X244712	<b>CONSEN9105W</b>	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 5m cable (for CON 11, CON 110, CON 150, CON 400, CON 410, CON 450, CON 510, PC 300, PC 450, PC 510)	\$ 354.00
01X244723	<b>CONSEN9203J</b>	4 Cell Bulls-Eye Epoxy-body Electrode with ATC, 12x120 mm, 8-pin connector, 3m cable (for COND600, COND610, PC650, PCD650)	\$ 618.00
01X244725	<b>CONSEN9103J</b>	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 8-pin connector, 3m cable (for COND600, COND610, PC650, PCD650)	\$ 377.00
01X244730	<b>CONSEN9201D</b>	4-Cell Conductivity/ATC Electrode, Graphite Sensor, Epoxy-Body (2700 series)	\$ 622.00
01X466602	<b>CONSEN9501D</b>	2-Cell Conductivity/ATC Electrode, stainless steel sensor, Ultem-body (700 or 2700 series)	\$ 310.00
93X219038	<b>EC620155</b>	Glass-body 2-Ring Conductivity Electrode, cell constant K=1.0, dual pin connector, 1m cable (for CON 1500)	\$ 777.00
93X219040	<b>EC620157</b>	Glass-body 2-Band Conductivity Electrode, cell constant K=10.0, dual pin connector, 1m cable (for CON 1500)	\$ 744.00
93X219043	<b>EC620162</b>	Epoxy-body 2-ring Conductivity Electrode, cell constant K=10.0, dual pin connector, 1m cable (for CON 1500)	\$ 699.00
93X219046	<b>EC620165</b>	Epoxy-body 4-ring Conductivity Electrode, cell constant K=1.0, DIN connector, 1m cable (for CON 1500, CON 6000, PC 60000, PC 6500 & PCD 6500)	\$ 1,064.00
93X219047	<b>EC620166</b>	Epoxy-body 4-ring Conductivity Electrode, cell constant K=10.0, DIN connector, 1m cable (for CON 1500, CON 6000, PC 6000, PC6500 & PCD 6500)	\$ 1,017.00
93X219057	<b>EC620164</b>	Glass-body 4-ring Conductivity Electrode, cell constant K=10.0, DIN connector, 1m cable (for CON 1500, CON 6000, PC 6000, PC6500 & PCD 6500)	\$ 1,058.00
93X219061	<b>EC620102</b>	Epoxy-body 2-ring Conductivity Electrode, cell constant K=10.0, DIN connector, 1m cable (for CON 6000, PC 60000, PC 6500 & PCD 6500)	\$ 770.00



Eutech Code	Ordering Code	Product Description	Price Ex-GST
93X244303	CONSEN72W	2 Platinum Rings Glass-body Electrode with ATC, cell constant K=0.1, 16x110 mm, 6-pin connector, 1m cable (for CON 11, CON 110, CON 150, CON 400, CON 410, CON 450, CON 510, PC 300, PC 450, PC 510)	\$ 660.00
93X244304	CONSEN72B	2 Platinum Rings Epoxy-body Electrode with ATC, cell constant K=0.1, 12 mm dia, BNC connector, 1m cable (for CON 6+, TDS 6+, SALT 6+)	\$ 386.00
93X244306	CONSEN73W	2 Platinum Rings Glass-body Electrode with ATC, cell constant K=10.0, 16x110 mm, 6-pin connector, 1m cable (for CON 11, CON 110, CON 150, CON 400, CON 410, CON 450, CON 510, PC 300, PC 450, PC 510)	\$ 872.00
93X244727	CONSEN93J	2 Cell Electrode with ATC, cell constant K=0.1, 16x110 mm, 8-pin connector, 1m cable (for CON600, COND610, PC650, PCD650)	\$ 797.00
93X546102	93X546102	2-Cell Conductivity/ATC Electrode, 10.0 cell constant, SS Sensor, Epoxy-Body (700 & 2700 series)	\$ 406.00

### Dissolved Oxygen Electrodes & Accessories

01X211226	01X211226	DO Refilling Electrolyte (60 mL) (for DO 6, DO100, DO110, DO 300, PD 300, DO 600, CD 650, PD 650 & PCD 650)	\$ 34.00
01X211238	ECDOZEROSOLN	Zero Oxygen Solution, 0% DO, 480 mL	\$ 49.00
01X233913	DO6HANDY	Galvanic Dissolved Oxygen Electrode with ATC, 0.9m cable 2 assembled membrane cap housing, 1 refilling electrolyte & 1 scouring pad (for DO 6+, DO 700)	\$ 707.00
01X233916	ECDO6HANDY3M	Galvanic Dissolved Oxygen Electrode with ATC, 3m cable (for DO 6+, DO 700)	\$ 792.00
01X239601	ECDOHANDYNEW	Galvanic Dissolved Oxygen Electrode with ATC, 3 m cable, 1 assembled membrane cap housing, 1 refilling electrolyte (60ml) and 1 scouring pad (for DO110, DO 300, PD 300, DO600, PD650, CD650, PCD650)	\$ 1,136.00
01X241603	01X241603	Membranes & O-rings (Pack of 5 units) (for DO100, DO110, DO 300 & PD 300)	\$ 50.00
01X241608	01X241608	Assembled Membrane Cap Housing for ECDO6HANDY & ECDO6HANDY3M (1 unit) (for DO 6)	\$ 92.00
01X295704	EC620SSP	DO/BOD electrode with self-stirring mechanism, 1m cable	\$ 2,372.00
01X623901	01X623901	Assembled Membrane Cap Housing (for DO100, DO110, DO 300 & PD 300)	\$ 112.00
15X241502	15X241502	Tool for ECDOHANDYNEW membrane housing	\$ 60.00
RDO15M	RDO15M	RDO probe 15 M / 50 ft	\$ 1,994.00
RDO3M	RDO3M	RDO probe 3 M / 10 ft	\$ 1,695.00
RDO6M	RDO6M	RDO probe 6 M / 20 ft	\$ 1,812.00

### Dissolved Oxygen Electrodes & Accessories

RDOCALCHAMBER	RDOCALCHAMBER	RDO Calibration Chamber	\$ 163.00
RDOCAP	RDOCAP	Replacement RDO cap	\$ 315.00
RDOWEIGHT	RDOWEIGHT	RDO Weight	\$ 222.00

## BENCHTOP & PORTABLE METER ACCESSORIES

01X030132	01X030132	Universal SMPS,100 /240VAC,9V,6W, CENTRE +ve Power Adapter with US/UK/EUR/Japan plug (for Cyberscan 600 series)	\$ 133.00
01X081600	ECPHELSTDC	Electrode Stand with Swivel Arm	\$ 160.00
01X321801	01X321801	Replacement Electrode arm with bracket for 700/2700 benchtop meters	\$ 246.00
01X344202	91100-85	RS232 (LED) Interface Adapter (for 600 Series Meter to PC / Micro-Printer Communication)	\$ 207.00
01X373301	ECPHSIMULATOR	Precision Hi-Low Impedance & Multiple Buffers pH Simulator (with BNC-BNC cable provided)	\$ 588.00
01X447602	01X447602	USB / IrDA Interface Adapter (for 600 Series Meter to PC Communication)	\$ 240.00
01X594301	01X594301	Thermal printer, includes 100-240 V power supply with plug adapters for UK,US, EU, and Australia. Includes 01X594101 cable and roll of paper	Call
01X594401	01X594401	Replacement paper for thermal printer, two rolls	Call
09X305002	ECADPTRM9M25	Adapter for Linking RS232 Communication Cable to Micro-Printer: 9-pin male to 25-pin male adapter (for all meters except 600 series)	\$ 15.00
15X000700	15X000700	CyberScan Electrode Holder for ATC probes and pH electrodes (12mm diameter)	\$ 9.00
15X000702	15X000702	Electrode Holder for probes and electrodes (16mm diameter)	\$ 9.00
30X219503	ECCA02M09F09	RS232 Communication Cable: 9-pin male to 9-pin female connector, 1m cable (for Cyberscan 110, 1100, 2100, 1500 & 6000 series)	\$ 45.00
30X427301	30X427301	RS232 cable for 450 & 2700 series, mini phone plug to RS232 9-pin (F)	\$ 70.00

Eutech Code	Ordering Code	Product Description	Price Ex-GST
60X030111	60X030111	110/120 VAC Power Adapter (50/60 Hz) 2-flat pin US type, 9 VDC 500mA (for CyberScan Standard Portable, CyberScan 510 series)	Call
60X030128	60X030128	100/240VAC SMPS Power Adapter with 2 pin power cord, 9 V, 3.3A, CENTRE -ve (for Cyberscan 6000 series)	Call
60X030130	60X030130	100/240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,9V,6W, CENTRE +ve (for Cyberscan 11 / 110 / 150 / 700 / 1100 / 2100 series)	Call
60X030131	60X030131	100/240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,12V,6W, CENTRE -ve (for Cyberscan 1500 series)	Call
60X426401	60X426401	100/240VAC SMPS Power Adapter, 9V,6W (for 2700 & 450 series)	Call
GRIPCLIP	GRIPCLIP	Grip-Clip Electrode Holder	\$ 34.00
MINIPHONEUSB	MINIPHONEUSB	Phono Jack 2.5mm to USB cable	\$ 60.00

## TURBIDITY & COLORIMETRY

### Waterproof Portable TN 100IR

01X357301	ECTN100IR	Waterproof TN 100 Infra-Red Turbidimeter (NTU) with calibration kit & carrying case	\$ 1,440.00
-----------	-----------	---	-------------

### CyberScan Deluxe Bench TB 1000W

01X259106	ECTBDW100040	CyberScan TB 1000 White Light Turbidity Bench Meter (NTU) with calibration kit & SMPS adapter	\$ 4,350.00
-----------	--------------	---	-------------

### CyberScan Deluxe Bench TB 1000IR

01X259104	ECTBDIR100040	CyberScan TB 1000 Infra-Red Turbidity Bench Meter (NTU) with calibration kit & SMPS adapter	\$ 5,335.00
-----------	---------------	---	-------------

### Accessories for Turbidity

01X265101	ECTBDWCALKT	Calibration Kit Set for TB 1000W (0.02, 10.0, 1000 NTU)	\$ 937.00
01X265102	ECTBDIRCALKT	Calibration Kit Set for TB 1000IR (0.02, 10.0, 1000 NTU)	\$ 937.00
01X265301	ECTNGSTNLMP	Tungsten Filament lamp module (white light)	\$ 337.00
01X265302	ECINFRDLMP	Infra Red lamp module	\$ 835.00
01X265501	ECPORHASSY	Pour through Assembly for TB1000	\$ 1,390.00
01X265701	ECTBDCUV03KT	Pack of 3 sample cuvettes for TB1000W & TB1000IR	\$ 269.00
01X265901	ECBATT3032	Internal Batteries (pack of 2)	\$ 168.00
01X274902	ECTN100CUVKIT	Pack of 3 Sample Cuvettes (for TN100IR & Colorimeter series)	\$ 82.00
01X344318	01X344318	10.0 NTU Calibration Standard (125 mL)	\$ 297.00
01X358701	ECSILICONEOIL	Silicone Oil (10 mL) for TN100IR	\$ 29.00
01X621001	TN100CALKIT	Calibration Kit Set for TN100IR (0.02, 20.0, 100, 800 NTU), 4x60mL	\$ 499.00
09X305002	ECADPTRM9M25	Adapter for Linking RS232 Communication Cable to Micro-Printer: 9-pin male to 25-pin male adapter (for all meters except 600 series)	\$ 15.00
30X219502	ECMICRO100CBL	Customized RS232 Cable for TB 1000 Meter Series to Serial Printer	\$ 118.00

### Accessories for Colorimeter

01X274806	ECCLCOLORREF	Chlorine Colour Reference Kit Set for C401, C301, C201, C103, C105	\$ 99.00
01X274902	ECTN100CUVKIT	Pack of 3 Sample Cuvettes (for TN100IR & Colorimeter series)	\$ 82.00
01X638601	ECTN100CUVKIT4	Pack of 4 Sample Cuvettes (for TN100IR & Colorimeter series)	\$ 109.00
94X377001	94X377001	Free Chlorine (DPD) Reagent Kit, pack of 100 sachets (also used as Chlorine Dioxide Reagent)	\$ 58.00
94X377002	94X377002	Total Chlorine (DPD) Reagent Kit, pack of 100 sachets (also used as Bromine or Ozone Reagent)	\$ 58.00
94X377003	94X377003	Cyanuric Acid Reagent Kit, pack of 100 sachets	\$ 58.00
94X377004	94X377004	pH Indicator (Phenol Red) Reagent Kit, 1 bottle	\$ 32.00
94X377005	94X377005	Glycine (DPD) Reagent Kit, pack of 100 sachets (Used as Chlorine Dioxide Reagent)	\$ 41.00



Eutech Code	Ordering Code	Product Description	Price Ex-GST
-------------	---------------	---------------------	--------------

## THERMOMETRY

### Digital Lollipop Thermometer

954849	BA-3630	Waterproof digital thermometer. Range -10 to 200°C; Resolution: 0.1°C	\$ 39.00
--------	---------	---	----------

### Thermocouple Thermometers

01X450405	TSTEMP10J	Thermo Scientific Temp 10 Type J Thermocouple Thermometer with Rubber Armour/Stand (probe not included)	Call
01X450408	TSTEMP10K	Thermo Scientific Temp 10 Type K Thermocouple Thermometer with Rubber Armour/Stand (probe not included)	Call
01X450411	TSTEMP10T	Thermo Scientific Temp 10 Type T Thermocouple Thermometer with Rubber Armour/Stand (probe not included)	Call
01X523604	TSTEMP300	Thermo Scientific Temp 300 dual-input thermocouple datalogger with rubber armour/stand (probe not included)	Call

### RTD Thermometers

01X021814	TEM6TEM01R	Replacement 3 wire RTD Pt100 Temperature Probe (for Temp 6 thermometer)	Call
01X491704	TSTEMP16	Thermo Scientific Temp 16 RTD Thermometer with Rubber Armour/Stand (probe not included)	Call
01X526504	TSTEMP360	Thermo Scientific Temp 360 RTD Datalogging Thermometer	Call

### Thermistor Thermometers

01X021811	TEM5TEM01P	100K Thermistor Temperature Probe (for Temp 5 thermometer)	Call
01X481804	TSTEMP14	Thermo Scientific Temp 14 Thermistor Thermometer (Unit Only)	Call

### Accessories for 300 Series Thermometers

01X460601	ARMORTEMP	Rubber Armor/Stand for 300 series Thermometers	Call
01X460701	HNSDFRKIT	Hands-free Kit for 300 series Thermometers (2 Magnets + Handstrap)	Call
30X379302	30X379302	USB Cable for Temp 300 series	Call
60X030134	60X030134	100/240 VAC,9V,6W,CNT-VE, Power Adapter for 300 series	Call

### Thermocouple Type J Probes

01X220001	TPGLPJ01M	Type J General purpose probe (for immersion into liquids), 1m cable	Call
01X220002	TPPENJ01M	Type J Penetration probe (for penetrating meat, plastic and semi-soft materials), 1m cable	Call

### Thermocouple Type K Probes

01X220101	TPGLPK01M	Type K General purpose probe (for immersion into liquids), 1m cable	Call
01X220102	TPPENK01M	Type K Penetration probe (for penetrating meat, plastic and semi-soft materials), 1m cable	Call
01X220103	TPSURK01M	Type K Surface Straight probe (for direct contact on hot surfaces), 1m cable	Call
93X375601	3K220	Type K thermocouple probe with shaft length: 200 mm, round-tip sensor tip: 2 mm diameter; -50 to +700 °C (for liquid or air)	Call
93X375602	3K320	Type K thermocouple probe with shaft length: 200 mm, round-tip sensor tip: 3.2 mm diameter; -50 to +700 °C (for liquid or air)	Call
93X375604	3K6100	Type K thermocouple probe with shaft length: 1000 mm, round-tip sensor tip: 6 mm diameter; -50 to +1000 °C (for liquid or air)	Call
93X375605	3K650	Type K thermocouple probe with shaft length: 500 mm, round-tip sensor tip: 6 mm diameter; -60 to +1100 °C (for liquid or air)	Call
93X375607	3K1200	Type K thermocouple probe with shaft length: 2000 mm; exposed junction type; -50 to +400°C	Call

### Thermocouple Type T Probes

93X375612	3T420A	Type T thermocouple probe with shaft length: 200 mm, sensor tip: 4 mm diameter (for air measurement); -50 to +250 °C	Call
-----------	--------	--	------

### RTD Probes

01X021814	TEM6TEM01R	Replacement 3 wire RTD Pt100 Temperature Probe (for Temp 6 thermometer)	Call
93X375701	PT56L	RTD PT100 probe with shaft length: 200 mm, round-tip sensor tip: 3 mm diameter (for liquid measurement); -50 to +400 °C	Call
93X375704	PT56A	RTD PT100 thermocouple probe with shaft length: 200 mm, sensor tip: 4 mm diameter (for air measurement); -50 to +250 °C	Call
93X375705	PT56L 1/5 DIN	RTD PT100 thermocouple probe with shaft length: 200 mm, round-tip sensor tip: 3 mm diameter; -50 to +400 °C	Call

Eutech Code	Ordering Code	Product Description	Price Ex-GST
93X375707	<b>PT56/500</b>	RTD PT100 thermocouple probe with shaft length: 500 mm, round-tip sensor tip: 6 mm diameter; -50 to +400 °C	<b>Call</b>